International Journal of Food Microbiology, 11 (1990) 357–359
Elsevier

Author index

Adachi, S., see Arihara, K. (11) 127
Adachi, S., see Toba, T. (11) 313
Aguilar, R.V., see Borrás, A.D. (11) 179
Altman, N.S., see Wimpfheimer, L. (11) 205
Arihara, K., Toba, T. and Adachi, S.
Immunofluorescence microscopic studies on distribution of *Lactobacillus kefiranofaciens* and *Lactobacillus kefir* in kefir grains (11) 127
Asao, T., see Sakaguchi, G. (11) 231

Beery, J.T., see Husu, J.R. (11) 259
Benner, M., see Sinell, H.-J. (11) 135
Best, D.J.
Optimal determination of most probable numbers (11) 159
Beuchat, L.R., see Ozcelik, S. (11) 187
Bischofberger, T., Cha, S.K., Schmitt, R., König, B. and Schmidt-Lorenz, W.
The bacterial flora of non-carbonated, natural mineral water from the springs to reservoir and glass- and plastic-bottles (11) 51
Blais, B.W. and Yamazaki, H.
Use of detergents in the preparation of *Salmonella* samples for enzyme immunoassay on polymyxin-coated polyester cloth (11) 329
Blais, B.W. and Yamazaki, H.
Use of polymyxin-coated polyester cloth in the enzyme immunoassay of *Salmonella* lipopolysaccharide antigens (11) 195
Borrás, A.D. and Aguilar, R.V.
Biological control of *Penicillium digitatum* by *Trichoderma viride* on postharvest citrus fruits (11) 179
Bratchell, N., McClure, P.J., Kelly, T.M. and Roberts, T.A.
Predicting microbial growth: graphical methods for comparing models (11) 279
Brimer, L., see Tunçel, G. (11) 337
Busse, M., see Seiler, H. (11) 289

Cha, S.K., see Bischofberger, T. (11) 51
Collins-Thompson, D.L., see Jayaratne, A.H.G.P. (11) 143
Croci, L., see Franco, E. (11) 321

Damink, C., see Ten Brink, B. (11) 73
Danielsson-Tham, M.-L., see Tham, W. (11) 225
Debevere, J.M., see Zeitoun, A.A.M. (11) 305
De Medici, D., see Franco, E. (11) 321
Doyle, M.P., see Husu, J.R. (11) 259

Ewald, S., Heuvelman, C.J. and Notermans, S.
The use of DNA probes for confirming enterotoxin production by *Staphylococcus aureus* and micrococci (11) 251

Franco, E., Toti, L., Gabrieli, R., Croci, L., De Medici, D. and Panà, A.
Depuration of *Mytilus galloprovincialis* experimentally contaminated with hepatitis A virus (11) 321

Gabrieli, R., see Franco, E. (11) 321
Garcia-Arribas, M.L. and Kramer, J.M.
The effect of glucose, starch, and pH on growth, enterotoxin and haemolysin production by strains of *Bacillus cereus* associated with food poisoning and non-gastrointestinal infection (11) 21
George, A.E. and Levett, P.N.
Effect of temperature and pH on survival of *Listeria monocytogenes* in coleslaw (11) 345
Ghazvinizadeh, H., see Turtura, G.C. (11) 351
Gill, C.O., Harrison, J.C.L. and Penney, N.
The storage life of chicken carcasses packaged under carbon dioxide (11) 151
Gisin, M., see Spinedi, C. (11) 93
Göktan, D., see Tunçel, G. (11) 337

Harrison, J.C.L., see Gill, C.O. (11) 151
Heuvelman, C.J., see Ewald, S. (11) 251
Hotchkiss, J.H., see Wimpfheimer, L. (11) 205
Huis in 't Veld, J.H.J., see Ten Brink, B. (11) 73
Husu, J.R., Beery, J.T., Nurmi, E. and Doyle, M.P.
Fate of *Listeria monocytogenes* in orally dosed chicks (11) 259

Jayaratne, A.H.G.P., Collins-Thompson, D.L. and Trevors, J.T.
Influence of freezing-thawing and refrigeration on R-plasmid (pRPJ24) stability in *Enterobacter cloacae* 94R (11) 143
Joosten, H.M.L.J., see Ten Brink, B. (11) 73

Kamata, Y., see Sakaguchi, G. (11) 231
Kameyama, S., see Takahashi, M. (11) 271
Karp, G., see Tham, W. (11) 225
Kelly, T.M., see Bratchell, N. (11) 279
Klingbeil, H., see Sinell, H.-J. (11) 135
König, B., see Bischofberger, T. (11) 51
Kozaki, S., see Sakaguchi, G. (11) 231
Kramer, J.M., see Garcia-Arribas, M.L. (11) 21

Lechner, F., see Rohm, H. (11) 215
Lehner, M., see Rohm, H. (11) 215
Levett, P.N., see George, A.E. (11) 345
Likimani, T.A. and Sofos, J.N.
Bacterial spore injury during extrusion cooking of corn/soybean mixtures (11) 243

Massa, S., see Turtura, G.C. (11) 351
McClure, P.J., see Bratchell, N. (11) 279
Modi, N.K., Rose, S.A. and Tranter, H.S.
The effects of irradiation and temperature on the immunological activity of staphylococcal enterotoxin A (11) 85

Nakajima, H., see Toba, T. (11) 313
Notermans, S. and Wernars, K.
Evaluation and interpretation of data obtained with immunoassays and DNA–DNA hybridization techniques (11) 35
Notermans, S., see Ewald, S. (11) 251
Nout, M.J.R., see Tunçel, G. (11) 337
Nurmi, E., see Husu, J.R. (11) 259

Ozcelik, N., see Ozcelik, S. (11) 187
Ozcelik, S., Ozcelik, N. and Beuchat, L.R.
Toxin production by *Alternaria alternata* in tomatoes and apples stored under various conditions and quantitation of the toxins by high-performance liquid chromatography (11) 187

Panà, A., see Franco, E. (11) 321
Park, R.W.A.
Joint IUMS/ICFMH and UNESCO consultation on postgraduate teaching in advanced food microbiology with recommendation of a core curriculum (11) 107
Penney, N., see Gill, C.O. (11) 151
Pierson, M.D., see Rhodehamel, E.J. (11) 167
Pietzsch, O., see Sinell, H.-J. (11) 135

Rhodehamel, E.J. and Pierson, M.D.
Sodium hypophosphite inhibition of the growth of selected Gram positive foodborne pathogenic bacteria (11) 167
Roberts, T.A., see Bratchell, N. (11) 279
Rohm, H., Lechner, F. and Lehner, M.
Evaluation of the API ATB 32C system for the rapid identification of foodborne yeasts (11) 215
Rose, S.A., see Modi, N.K. (11) 85

Sakaguchi, G., Sakaguchi, S., Kamata, Y., Tabita, K., Asao, T. and Kozaki, S.
Distinct characters of *Clostridium botulinum* type *A* strains and their toxin associated with infant botulism in Japan (11) 231
Sakaguchi, G., see Takahashi, M. (11) 271
Sakaguchi, S., see Sakaguchi, G. (11) 231
Schmidt-Lorenz, W., see Bischofberger, T. (11) 51
Schmidt-Lorenz, W., see Schmitt, M. (11) 1
Schmitt, M., Schuler-Schmid, U. and Schmidt-Lorenz, W.
Temperature limits of growth, TNase- and enterotoxin production of *Staphylococcus aureus* strains isolated from foods (11) 1
Schmitt, R., see Bischofberger, T. (11) 51
Schuler-Schmid, U., see Schmitt, M. (11) 1
Seiler, H. and Busse, M.
The yeasts of cheese brines (11) 289
Sinell, H.-J., Pietzsch, O., Klingbeil, H. and Benner, M.
Estimation of most probable number of *Salmonella* in retail samples of minced pork (11) 135
Skovgaard, N.
The need for continuous training in food factories (11) 119
Sofos, J.N., see Likimani, T.A. (11) 243
Spinedi, C. and Gisin, M.
Standard plate counts of drinking water: a comparison between incubation temperatures of 20 and 30°C (11) 93

Tabita, K., see Sakaguchi, G. (11) 231
Takahashi, M., Kameyama, S. and Sakaguchi, G.
Assay in mice for low levels of *Clostridium botulinum* toxin (11) 271
Ten Brink, B., Damink, C., Joosten, H.M.L.J. and Huis in 't Veld, J.H.J.

Occurrence and formation of biologically active amines in foods (11) 73

Tham, W., Karp, G. and Danielsson-Tham, M.-L.
Histamine formation by enterococci in goat cheese (11) 225

Toba, T., Nakajima, H., Tobitani, A. and Adachi, S.
Scanning electron microscopic and texture studies on characteristic consistency of Nordic ropy sour milk (11) 313

Toba, T., see Arihara, K. (11) 127

Tobitani, A., see Toba, T. (11) 313

Toti, L., see Franco, E. (11) 321

Tranter, H.S., see Modi, N.K. (11) 85

Trevors, J.T., see Jayaratne, A.H.G.P. (11) 143

Tunçel, G., Nout, M.J.R., Brimer, L. and Göktan, D.
Toxicological, nutritional and microbiological evaluation of tempe fermentation with *Rhizopus oligosporus* of bitter and sweet apricot seeds (11) 337

Turtura, G.C., Massa, S. and Ghazvinizadeh, H.
Antibiotic resistance among coliform bacteria isolated from carcasses of commercially slaughtered chickens (11) 351

Wernars, K., see Notermans, S. (11) 35

Wimpfheimer, L., Altman, N.S. and Hotchkiss, J.H.
Growth of *Listeria monocytogenes* Scott A, serotype 4 and competitive spoilage organisms in raw chicken packaged under modified atmospheres and in air (11) 205

Yamazaki, H., see Blais, B.W. (11) 195

Yamazaki, H., see Blais, B.W. (11) 329

Zeitoun, A.A.M. and Debevere, J.M.
The effect of treatment with buffered lactic acid on microbial decontamination and on shelf life of poultry (11) 305

International Journal of Food Microbiology, 11 (1990) 361–362
Elsevier

Subject index

Abdominal ptosis, (11) 271
Alternaria alternata, (11) 187
Amygdalin, (11) 337
Antibiotic resistance, (11) 351
Antigen, (11) 35; (11) 195
Apple, (11) 187
Apricot seeds, (11) 337

Bacillus cereus, (11) 21; (11) 167; (11) 337
Bacillus spores, (11) 243
Bacteria, (11) 243
Bacterial flora, (11) 51
Biogenic amines, (11) 73
Biological control, (11) 179
Bottles, glass and plastic, (11) 51

Cheese, (11) 225
Cheese brine, (11) 289
Cheese rind, (11) 289
Chicken carcasses, (11) 151
Chickens, (11) 259; (11) 351
Citrus fruits, (11) 179
Clostridium botulinum, (11) 167; (11) 279
Clostridium botulinum toxin, (11) 271
Clostridium botulinum type A, (11) 231
Clostridium perfringens, (11) 167
Cloth enzyme immunoassay, (11) 329
CO_2, (11) 151
Coleslaw, (11) 345
Coliform bacteria, (11) 351
Confidence interval, (11) 159

Decontamination, (11) 305
Deoxycholate, (11) 329
Detergent, (11) 329
Detoxification, (11) 337
Dilution series, (11) 159
Distribution, (11) 127
DNA–DNA hybridization, (11) 35; (11) 251
DNA probe, (11) 35

Enterobacter cloacae, (11) 143
Enterococci, (11) 225
Enterotoxin, (11) 21
Enzyme immunoassay, (11) 195
Experimental design, (11) 159
Extrusion, (11) 243

Fermented foods, (11) 73
Food intoxication, (11) 73
Food poisoning, (11) 21
Freezing-thawing, (11) 143
Frozen storage, (11) 135
Fungi, (11) 337

Gastrointestinal tract, (11) 259
Glucose, (11) 21
Goat, (11) 225
Graphical methods, (11) 279
Ground water, (11) 93
Growth, (11) 1; (11) 279

Haemolysin, (11) 21
Hemagglutinin, (11) 231
Hepatitis A virus, (11) 321
Histamine, (11) 225
Honey, (11) 231

Identification, (11) 289
Immunoassay, (11) 35; (11) 251
Immunofluorescence microscopy, (11) 127
Immunological activity, (11) 85
Improbable results, (11) 159
Incubation temperature, (11) 93
Infant botulism, (11) 231
Inguinocrual region, (11) 271
Inhibition, (11) 167
Injury, (11) 243
Intestinal colonization, (11) 231
In vivo titration, (11) 271
Irradiation, (11) 85

Kefir grain, (11) 127

Lactic acid buffer, (11) 305
Lactobacillus kefir, (11) 127
Lactobacillus kefiranofaciens, (11) 127
Lactococcus lactis ssp. *cremoris*, (11) 313

Lipopolysaccharide, (11) 195; (11) 329
Listeria monocytogenes, (11) 205; (11) 259; (11) 345

Meat, (11) 143
Minced pork, (11) 135
Models, (11) 279
Modified atmospheres, (11) 205
Most Probable Number, (11) 159
MPN estimation, (11) 135
M toxin, (11) 231
Muller-Kauffmann medium, (11) 135
Mussel, (11) 321
Mycotoxins, (11) 187

Natural mineral water, (11) 51
Numerical taxonomy, (11) 289

Packaged, (11) 205
Penicillium digitatum, (11) 179
pH, (11) 21; (11) 345
Plasmid, (11) 143
Polyester cloth, (11) 195
Polymyxin, (11) 195; (11) 329
Poultry, (11) 305

Rappaport-Vassiliadis medium, (11) 135
Refrigeration, (11) 143
Rhizopus oligosporus, (11) 337

Salmonella, (11) 195; (11) 279; (11) 329
Salmonella isolation, (11) 135
Scanning electron microscopy, (11) 313
Shelf-life, (11) 151, 305
Slime-producing strain, (11) 313
Sodium hypophosphite, (11) 167
Sour milk consistency, (11) 313
Springs, (11) 51
Spring water, (11) 93
Stability, (11) 143
Standard plate counts, (11) 93
Staphylococcal enterotoxin, (11) 1, 251
Staphylococcal enterotoxin A, (11) 85
Staphylococcus aureus, (11) 1; (11) 167
Starch, (11) 21
Subcutaneous injection, (11) 271

Tempe, (11) 337
Temperature, (11) 1; (11) 85
TNase, (11) 1
Tomato, (11) 187
Trichoderma viride, (11) 179

Vacuum-packaging, (11) 151
'Viili', (11) 313
Viral depuration, (11) 321

Yeast, (11) 289
Yeast, foodborne, (11) 215
Yeast identification, (11) 215
Yeast identification kits, (11) 215